





Surenoo Display for "RaspBerry Pi" Series





SURENOO "All-In-One" Series HDMI DISPLAY SERIES

★ "All-In-One" Vertical HDMI Series

10.1"	1920X 1200	7.0"	1024 X 600	4.3"	800 X 480				
-------	------------	------	------------	------	-----------	--	--	--	--

★ "All-In-One" Inner HDMI Series

7.0"	1024 X 600	5.0"	1280 X 720						
------	------------	------	------------	--	--	--	--	--	--

★ "All-In-One" HDMI with Enclosure Series

7.0"	1024 X 600								
------	------------	--	--	--	--	--	--	--	--

★ "All-In-One" Standard HDMI Series

USB Touch Panel

10.1"	1920 X 1200	7.0"	1024 X 600	15.6"	1920 X 1080	8.0"	1024 X 768	6.86"	1280 X 480	5.5"	1920 X 1080
	1280 X 800		800 X 480	11.6"	1920 X 1080	5.0"	800 X 480	4.3"	800 X 480	3.5"	480 X 320
	1024 X 600										

GPIO Touch Panel (For RaspBerry Pi)







5.0"	800 X 480	4.0"	800 X 480	3.5"	480 X 320				
------	-----------	------	-----------	------	-----------	--	--	--	--





[Back to MENU](#)

SURENOO Vertical-HDMI DISPLAY SERIES







Model No.	Size	Resolution	Outline Size (MM)	Area Area (MM)	Input	Voltage	Brightness (CD/M2)	Display Type	Touch Type	Mark	Datasheet	Sample Purchase
★ ★ ★ ★ ★ ★ SUR19201200HV101A	10.1"	1920*1200	HV101A1 255.00*172.60	216.81*135.50	Vertical HDMI	USB / 5V	350	IPS	USB Capacitive Touch			
			HV101A2 229.32*148.96						Without Touch Panel			
★ ★ ★ ★ ★ ★ SUR1024600HV070A	7.0"	1024*600	HV070A1 164.90*100.00	154.21*85.92	Vertical HDMI	USB / 5V	350	IPS	USB Capacitive	Board:LCD=1:1		
			HV070A2 178.80*110.72							Larger Touch		
★ ★ ★ ★ ★ ★ SUR800480HV043A	4.3"	800*480	HV043A1 105.40*67.10	95.04*53.86	Vertical HDMI	USB / 5V	350	IPS	USB Capacitive	Board:LCD=1:1		
			HV043A2 120.04*78.86							Larger Touch		





[Back to MENU](#)

SURENOO Inner-HDMI DISPLAY SERIES

Model No.	Size	Resolution	Outline Size (MM)	Area Area (MM)	Input	Voltage	Brightness (CD/M2)	Display Type	Touch Type	Mark	Datasheet	Sample Purchase
★★ ★★ ★★ ★★ ★★ SUR1024600HN070A	7.0"	1024*600	HN070A1 164.90*100.00	154.21*85.92	Inner HDMI	USB / 5V	300	IPS	USB Capacitive	Current<500mA Brightness Adjustment		
			HN070A2 178.80*110.72									
★★ ★★ ★★ ★★ ★★ SUR1024600HN070B	7.0"	1024*600	164.90*100.00	154.21*85.92	Inner HDMI	USB / 5V	280	TN	USB Capacitive	Board:LCD=1:1		
									Without Touch			
★★ ★★ ★★ ★★ SUR1280720HN050A	5.0"	1280*720	131.70*83.40	110.40*62.10	Inner HDMI	USB / 5V	350	IPS	USB Capacitive	Backlight On/Off Brightness Adjustment Current<500mA		





[Back to MENU](#)

SURENOO 7.0" HDMI DISPLAY SERIES with Enclosure



Model No.	Size	Resolution	Outline Size (MM)	Area Area (MM)	Input	Voltage	Brightness (CD/M2)	Display Type	Touch Type	Mark	Datasheet	Sample Purchase
★★★★★ SUR1024600HF070A	7.0"	1024*600	176.00*132.00	154.08*85.92	HDMI VGA AV	5V USB Power	220 800:1	IPS	Without Touch	With Speaker With Enclosure		
★★★★★ SUR1024600HF070B	7.0"	1024*600	177.50*123.00	154.21*85.92	HDMI	5V USB Power	300	IPS	USB Capacitive	With Enclosure		
★★★★★ SUR1024600HF070C	7.0"	1024*600	188.00*112.00	154.21*85.92	Mini HDMI	5V USB Power	300	IPS	USB Capacitive	With Enclosure		





[Back to MENU](#)

SURENOO 11.6" HDMI DISPLAY SERIES

Model No.	Size	Resolution	Outline Size (MM)	Area Area (MM)	Input	Voltage	Brightness (CD/M2)	Display Type	Touch Type	Mark	Datasheet	Sample Purchase
★ ★ ★ ★ ★ SUR19201080H11.6A	11.6"	1920*1080	270.37*159.79	256.32*144.18	HDMI	9-12V Power Adapter	300	IPS	USB Capacitive	3.5MM Audio Output PWM Function	 DOWNLOAD	



Business Card



Wechat Card



[Back to MENU](#)

SURENOO 10.1" HDMI DISPLAY SERIES

Model No.	Size	Resolution	Outline Size (MM)	Area Area (MM)	Input	Voltage	Brightness (CD/M2)	Display Type	Touch Type	Mark	Datasheet	Sample Purchase
★★★★★ SUR1280800H101A	10.1"	1280*800	255.00*172.60	216.96*135.60	HDMI	A1: 9-12V A2: 5V Dual USB Power	300	IPS	USB Capacitive	PWM Function Optional		
★★★★★ SUR1280800H101B	10.1"	1280*800	229.46*149.10	216.96*135.60	HDMI	5V USB Power	300	IPS	USB Capacitive			
★★★★★ SUR1280800H101C	10.1"	1280*800	229.46*149.10	216.96*135.60	HDMI	5V USB Power	300	IPS	USB Capacitive	3.5MM Audio Output		
★★★★★ SUR1024600H101D	10.1"	1024*600	235.00*143.00	222.72*125.28	HDMI	5V Double USB Power	300	TN	USB Capacitive			
★★★★★ SUR1024600H101E	10.1"	1024*600	236.00*145.57	222.72*125.28	HDMI	5V / USB	300	IPS	USB Capacitive	3.5MM Audio Output VOL & Brightness Adjustment With FAN Interface Dual Speaker		
★★★★★ SUR19201200H101F	10.1"	1920*1200	255.00*172.60	216.81*135.50	HDMI	5V Double USB Power	350	IPS	USB Capacitive			





[Back to MENU](#)

SURENOO 6.86"-8.0" HDMI DISPLAY SERIES

Model No.	Size	Resolution	Outline Size (MM)	Area Area (MM)	Input	Voltage	Brightness (CD/M2)	Display Type	Touch Type	Mark	Datasheet	Sample Purchase
★★★★★ SUR1024768H080A	8.0"	1024*768	183.00*159.00	162.05*121.54	HDMI	5V USB Power	600	IPS	USB Capacitive Without Touch	3.5MM Audio Output		
★★★★★ SUR1024768H080B	8.0"	1024*600	174.30*135.00	162.05*121.54	HDMI	5V USB Power	200	TN	USB Capacitive			
★★★★★ SUR1280480H068A	6.86"	480*1280	PCB: 201.00*68.00 LCD: 181.00*66.60	160.59*60.22	HDMI	5V USB Power	450	IPS	USB Capacitive	A1		
									Without Touch	A2		
★★★★★ SUR1280480H068B	6.86"	480*1280	TP: 189.20*76.80 LCD: 181.00*66.60	160.59*60.22	HDMI	5V USB Power	450	IPS	USB Capacitive	B1 All-in-One		 B1 B2
										B2 Separation Board		





[Back to MENU](#)

SURENOO 7.0" HDMI DISPLAY SERIES (1/2)







Model No.	Size	Resolution	Outline Size (MM)	Area Area (MM)	Input	Voltage	Brightness (CD/M2)	Display Type	Touch Type	Mark	Datasheet	Sample Purchase
★★★★★ SUR1024600H070A	7.0"	1024*600	H070A1 174.60*115.00	154.21*85.92	HDMI	5V USB Power	300	TN	USB Capacitive			
			H070A2 178.80*110.72									
★★★★★ SUR1024600H070B	7.0"	1024*600	165.30*121.00	154.21*85.92	HDMI	5V USB Power	800	IPS	USB Capacitive	High Brightness 3.5MM Audio Output		
★★★★★ SUR1024600H070C	7.0"	1024*600	165.30*121.00	154.21*85.92	HDMI	5V USB Power	300	C1: TN	USB Capacitive	3.5MM Audio Output		
								C2: IPS		3.5MM Audio Output Brightness Adjustment		
★★★★★ SUR1024600H070D	7.0"	1024*600	165.30*121.00	154.21*85.92	HDMI	5V USB Power	300	D1: TN	USB Capacitive			
								D2: IPS				
★★★★★ SUR1024600H070E	7.0"	1024*600	164.90*124.27	154.21*85.92	HDMI	5V USB Power	260	IPS	USB Capacitive			
★★★★★ SUR1024600H070F	7.0"	1024*600	165.30*121.00	154.21*85.92	HDMI	5V USB Power	300	TN	Without Touch			





[Back to MENU](#)

SURENOO 7.0" HDMI DISPLAY SERIES (2/2)









Model No.	Size	Resolution	Outline Size (MM)	Area Area (MM)	Input	Voltage	Brightness (CD/M2)	Display Type	Touch Type	Mark	Datasheet	Sample Purchase
 SUR800480H070G	7.0"	800*480	164.90*124.27	154.21*85.92	HDMI	5V USB Power	260	TN	USB Capacitive		 DOWNLOAD	
 SUR1024600H070H	7.0"	1024*600	164.90*102.00	154.21*85.92	HDMI	USB / 5V	300	IPS	USB Capacitive	3.5MM Audio Output Brightness Adjustment With FAN Interface Speaker Optional	 DOWNLOAD	





[Back to MENU](#)

SURENOO 5.0"-4.0"-3.5" HDMI+GPIO DISPLAY SERIES

Model No.	Size	Resolution	Outline Size (MM)	Area Area (MM)	Input	Voltage	Brightness (CD/M2)	Display Type	Touch Type	Mark	Datasheet	Sample Purchase
 SUR800480HG050A	5.0"	800*480	120.70*97.05	108.00*64.80	HDMI	5V USB Power	300	TN	GPIO Resistive		 DOWNLOAD	
 SUR800480HG040A	4.0"	800*480	98.60*58.05	86.40*51.84	HDMI	5V USB Power	250	IPS	GPIO Resistive	3.5MM Audio Output	 DOWNLOAD	
 SUR480320HG035A	3.5"	480*320	A1: Blue Board 85.50*60.60 A2: Black Board 85.40*60.33	73.44*48.96	HDMI	5V USB Power	-	TN	GPIO Resistive	3.5MM Audio Output Brightness Adjustment	 DOWNLOAD	