



MENU

Surenno Serial SPI TFT LCD Module

Part A: 7.0" / 5.0" / 4.3" Serial SPI TFT LCD Module with Capacitive Touch Panel

Part B: 4.0" -1.44" Serial SPI TFT LCD Module (TN)







Part C: 2.0" -0.96" Serial SPI TFT LCD Module (IPS)





















Surenno 7.0" / 5.0" / 4.3" Serial SPI TFT LCD Module with Capacitive Touch Panel

[Back to MENU](#)

LCD Size	Resolution	Model No.	LCD Interface	Driver	PCB Size (MM)	Active Area (LCD)(MM)	Mark	Touch Panel		Image	Datasheet Download
								Type	Interface		
7.0"	800*480	SSP0700A-800480	20P/0.5 SPI	LT7686	185.00*105.00	154.08*85.92	Flash	FT5426 CTP	I2C		
	1024*600	SSP0700B-1024600				154.21*85.92					
5.0"	800*480	SSP0500A-800480	20P/0.5 SPI	LT7680A	137.30*80.97	108.00*64.80	Flash	GT911 CTP	I2C		
4.3"	800*480 IPS	SSP0430A-800480	20P/0.5 SPI	LT7680A	122.00*69.09	95.04*53.86	Flash	GT1151 CTP	I2C		











Surenno 4.0" -1.44" Serial SPI TFT LCD Module (TN)

LCD Size	Resolution	Model No.	LCD Interface	Driver	PCB Size (MM)	Active Area (LCD)(MM)	Mark	Touch Panel		Image	Datasheet Download
								Type	Interface		
4.0"	320*480	SSP0400A-320480	14P/2.54 SPI	ST7796S	56.34*98.00	48.96*73.44	SD Socket	RTP			
								NTP			
3.5"	320*480	SSP0350A-320480	14P/2.54 SPI	ILI9488	61.74*108.04	55.68*83.52	SD Socket	RTP			
								NTP			
3.2"	320*240	SSP0320A-240320	14P/2.54 SPI	ILI9341	55.04*89.30	48.60*64.80	SD Socket	RTP			
								NTP			
2.8"	320*240	SSP0280A-240320	14P/2.54 SPI	ILI9341	50.00*86.00	43.20*57.60	SD Socket	RTP			
								NTP			
2.4"	320*240	SSP0240A-240320	14P/2.54 SPI	ILI9341	42.72*77.18	36.72*48.96	SD Socket	RTP			
								NTP			
2.2"	320*240	SSP0220A-240320	9P/2.54 SPI	ILI9341	40.10*67.20	33.84*45.12	SD Socket	NTP			
1.8"	128*160	SSP0180A-128160	8P/2.54 SPI	ST7735S	44.96*53.47	28.03*35.04	SD Socket	NTP			
		SSP0180B-128160	8P/2.54 SPI		34.50*58.00						
1.44"	128*128	SSP0144A-128128	8P/2.54 SPI	ST7735S	29.70*43.36	26.20*27.20	-	NTP			



Surenno 2.0" -0.96" Serial SPI TFT LCD Module (IPS)

LCD Size	Resolution	Model No.	LCD Interface	Driver	PCB Size (MM)	Active Area (LCD)(MM)	Mark	Touch Panel		Image	Datasheet Download
								Type	Interface		
2.0"	IPS 240*320	SSP0200A-240320	8P/2.54 SPI	ST7789V	36.48*61.12	30.60*40.80	IPS		NTP		
1.54"	IPS 240*240	SSP0154A-240240	8P/2.54 SPI	ST7789V	32.00*43.72	27.72*27.72	IPS		NTP		
1.3"	IPS 240*240	SSP0130A-240240	7P/2.54 SPI	ST7789V	27.78*39.22	23.40*23.40	IPS		NTP		
1.14"	IPS 135*240	SSP0114A-135240	8P/2.54 SPI	ST7789V	30.40*28.00	14.86*24.91	IPS		NTP		
0.96"	IPS 80*160	SSP0096A-80160	8P/2.54 SPI	ST7735S	30.00*24.04	10.80*21.70	IPS		NTP	